

INDEX

	Paragraph	Page		Paragraph	Page
Advantage, mechanical	3-12	73	Triple	3-18a	73
Anchorage requirements	4-10	100	Twisting	3-18a(3), App B-1	75, 126
Anchors:			Blocking	5-7	113
Natural	4-2	85	Boarded picket holdfast	4-3b(3)	87
Manmade	4-3	86	Boatswain's chair	6-6	121
Angles:			Boom derrick:		
Fleet	3-15b	83	Erecting	5-4b	112
Ground	3-15a	83	Operation	5-4c	112
Antitwisting device	3-13a(3)	75	Rigging	5-4a	110
Attachments	2-19	53	Bowline:	2-4a	22
Back splice, fiber rope	2-13	46	Baker	2-6b	33
Barrel slings	3-7	66	Double	2-4b	22
Basket socket	2-24	56	French	2-4f	22
Bearing capacity of soils	App B-4	127	On a bight	2-4d	22
Bearing plate	4-5	97	Running	2-4c	22
Bend:	2-1a(12)	17	Spanish	2-4e	22
Carrick	2-3d	21	Braced derrick	5-6b	113
Double sheet	2-3c	21	Built-up scaffold	6-5d	119
Fisherman's	2-5o	33	Carrick bend	2-3d	21
Single sheet	2-3b	21	Catspaw	2-4h	23
Binding wire rope	1-13d	12	Chain hoist	3-14	81
Bight	2-1a(5)	17	Chains:		
Blackwall hitch	2-5k	30	Care	3-3	63
Blocks:			Factor of safety	Table 3-1	64
Blocks	3-13a	73	Inspection	3-5	65
Blocks and tackle	3-13	73	Strength	3-2	63
Block and tackle factor of safety	App B-1, B-2	126, 127	Chair, boatswain's	6-6	121
Components	3-13	73	Characteristics:		
Double	3-13a(2), App B-1	75, 126	Fiber rope	1-5	4
Friction	3-13d	81	Slings	3-6	65
Lashing	2-7c	34	Wire rope	1-5, 1-11	4, 10
Leading	3-13, 3-15a, 73, 83, 5-1a(3), 102, 5-1, 5-2b, 101, 106, 5-4	110	Clamps, wire	2-22	55
Reeving	3-13b(2)	76	Cleaning wire rope	1-12b	12
Running	5-1b(3)	103	Clips for wire rope	2-21	54
Single	3-13a, App B-1	73, 126	Clove hitch	2-5f	27
Snatch	3-13a, 5-1a(3), 5-4c, 5-6b	73, 102, 112, 113	Coiling:		
Standing	3-13a, 3-13	73	Fiber rope	1-6	5
Traveling	3-13, 5-4a(1), 5-4a(6)	73, 110, 111	Wire rope	1-13b	12
			Coir rope	1-3d	4
			Combination holdfast	4-3c	88
			Combination slings:	3-7c	67
			Combining wire and strands	1-10a	7
			Compound tackle systems	3-13c	76
			Conveyor, roller	5-9	113
			Core:		
			Fiber rope	1-8	7
			Wire rope	1-9	7

	Paragraph	Page		Paragraph	Page
Cotton fiber rope	1-3d	4	Long splice	2-12	46
Cribbing	5-7	113	Renewing strands	2-14	46
Crown on wall knot	2-2c	20	Rungs	2-27c	59
Crown splice, fiber rope	2-13	46	Short splice	2-10	46
Cutting kinked wire rope	1-13f	13	Size	1-5a	4
Deadman:			Splices	2-9	46
Construction	4-3d(1)	90	Splicing tools for	2-15	46
Depth	4-3d(2)(a)	91	Storage	1-6, 1-7	5, 6
Designing	4-4	93	Strength	1-5c	5
Formulas	4-3d(3)	92	Uncoiling	1-7	6
Holding power	Table 4-2	92	Weight	1-5b	5
Log	4-4a	93	Whipping	2-1b	17
Steel beam	4-3d(1)	90	Fisherman's bend	2-5o	33
Terms used	4-3d(2)	91	Fleet angle	3-15b	83
Timber	4-4b	93	French bowline	2-4f	22
Derrick:			Friction, loss in tackle	3-13d	81
Boom	5-4	110	Fundamental terms	2-1a	17
Braced	5-6b	113	Gin pole	5-1	101
Jinniwink	5-6c	113	Boom derrick	5-4	110
Pole	5-6a	113	Erecting	5-1b	103
Rigging	5-4a	110	Lashing	5-1a	101
Steel	5-5b	112	Operating	5-1c	103
Stiff leg derrick	5-5	112	Rigging	5-1a	101
Double block and tackle	App B-1	126	Safe capacity of spruce		
Double bowline	2-4b	22	timber	Table 5-1	101
Double pole built-up scaffold	6-5d	119	Girth hitch	2-5m	30
Double sheet bend	2-3c	21	Ground angle	3-15a	83
Drums and sheaves	1-13g	14	Guyline:		
Dutchman	5-6a	113	Anchorage	4-10	100
Effective length of deadman			Boom derrick	5-4a	110
(EL)	4-3d	90	Description	4-6	98
End fittings	2-20	54	Gin pole	5-1a(2)	101
Endless slings	3-7a	66	Load distribution	4-6	98
End of rope knots	2-2	17	Number	4-7	98
End of rope whipping	2-1b	17	Shears	5-3	106
Erecting:			Size	4-9	100
Boom derrick	5-4b	112	Stress	App B-6	129
Gin pole	5-1b	103	Tension	4-8	98
Shears	5-3b	108	Tripod	5-2c	106
Tripod	5-2b	106	Handling fiber rope	1-7	6
Expedients, hoisting and pulling	3-16	84	Hemp	1-3c	3
Extension ladders	6-2	117	Hitch	2-1a(13)	17
Eye or side splice for fiber rope	2-11	46	Anchor	3-7b	66
Eye splice in wire rope	2-17	48	Barrel slings	3-7a	66
Fabrication:			Basket	3-7b	66
Fiber rope	1-4	4	Blackwall	2-5k	30
Wire rope	1-9	7	Choker	3-7b	66
Fiber rope:			Clove	2-5f	27
Back splice	2-13	46	Girth	2-5m	30
Care	1-6	5	Half	2-5a	23
Characteristics	1-5	4	Harness	2-5l	30
Coiling	1-6	5	Magnus	2-5i	30
Crown splice	2-13	46	Mooring	2-5i	30
Fabrication	1-4	4	Rolling	2-5i	30
Handling	1-7	6	Round turn and two half		
Inspection	1-8	7	hitches	2-5c	24
Kinds	1-3	3	Scaffold	2-5i	30
Ladder	2-27c, d	59	Telegraph	2-5h	30
			Timber	2-5d	25

	Paragraph	Page		Paragraph	Page
Timber hitch and half hitch	2-5e	25		Bowline, French	2-4f 22
Toggle	3-7a	66		Bowline on a bight	2-4d 22
Two half hitches	2-5b	24		Bowline, Spanish	2-4e 22
Holding power deadman	4-3d	90		Butterfly	2-6a 33
Hoists:				Carrick bend	2-3d 21
Chain	3-14	81		Catspaw	2-4h 23
Chain care	3-3	63		Crown on wall	2-2c 20
Chain strength	3-2	63		Double bowline	2-4b 22
Equipment, light	5-6	113		Double sheet bend	2-3c 81
Expedients	3-16	84		Figure eight	2-2b 20
Hoisting	3-1	63		French bowline	2-4f 22
Safety	3-14b	81		Overhand	2-2a 17
Source of power	3-13e	81		Running bowline	2-4c 22
Types	3-14a	81		Sheepshank	2-5n 30
Holdfast:				Single sheet bend	2-3b 81
Board	4-3b(3)	87		Spanish bowline	2-4e 22
Combination	4-3c	88		Speir	2-4g 23
Combination log	4-3c	88		Square	2-3a 21
Combination steel	4-3c	88		Stopper	2-2c 20
Lashed steel picket	4-3b(4)	87		Wall	2-2c 20
Lashing	4-3b(3)	87		Weaver's	2-3b 21
Multiple pickets	4-3b(3)	87		Wire rope	2-8 34
Picket	4-3b	86		Ladders:	
Rock	4-2, 4-3a,	85, 86,		Extension	6-2 117
	4-3b(5)	88		Fiber rope	2-27c, d 59
Single picket	4-3b(2)	86		Hanging	2-27 59
Steel picket	4-3b(4)	87		Standoff	2-26 59
Stumps	4-2	85		Pushup	6-2 117
Trees	4-2	85		Straight	6-3 118
Wood picket	4-3b	86		Wire rope	2-27 59
Hooks:				Lashed picket holdfast	4-3b 86
Grab	3-4	64		Lashings:	
Inspection	3-5	65		Block	2-7c 34
Mousing	3-4b	64		Boom derrick	5-4a 110
Safe loads	Table 3-2	65		Gin pole	5-1a 101
Safety	3-4a	64		Shears	5-3a 107
Slip	3-4	64		Square	2-7a 34
Strength	3-4a	64		Tripod	5-2a 105
Hydraulic jacks	5-10b(4)	115		Lay, wire rope:	
Independent scaffolds	6-5d	119		Lay	1-10b 8
Inspection:				Regular	1-10b(1) 8
Chains	3-5	65		Reverse	1-10b(3) 9
Fiber rope	1-8	7		Length of deadman	4-3d 90
Hooks	3-5	65		Leading blocks	3-13a(1) 73
Slings	3-11	70		Lifting equipment	5-1-5-6 101-113
Wire rope	1-14	16		Light hoisting equipment	5-6 113
Jacks:				Loads, safe working:	
Hydraulic	5-10b(4)	115		Chain slings	Table 3-4 70
Ratchet lever	5-10b(1)	115		Hooks	Table 3-2 65
Screw	5-10b(3)	115		Manila rope slings	Table 3-3 69
Steamboat ratchet	5-10b(2)	115		Screw-pin shackles	Table B-5 128
Types	5-10b	115		Wire rope slings	Table 3-5 70
Use	5-10a	114		Log deadman	4-4a 93
Jinniwink derrick	5-6c	113		Long splice:	
Kinking in wire rope	1-13a	12		Fiber rope	2-12 46
Knots:				Wire rope	2-18 49
Baker bowline	2-6b	33		Loops, knots for making	2-4 22
Bowline	2-4a	22		Lubricating wire rope	1-12 11
Bowline, baker	2-6b	33			

	Paragraph	Page		Paragraph	Page
Magnus hitch	2-5i	30	Rock anchor	4-3a	86
Manmade anchors	4-3	86	Rock holdfast	4-3b(5)	88
Manila rope	1-3a	3	Rollers	5-9	113
Mechanical advantage	3-12	73	Rolling hitch	2-5g	30
Monkey derrick	5-6b	113	Rope:		
Mooring hitch	2-5i	30	Amount to allow for splice		
Mousing hooks	3-4b	64	and tucks	Table 2-1	46
Moving loads	5-1—	101—	Chair	6-6a, b	121
	5-10	114	Failures, wire	1-14c	16
Multiple wooden pickets	4-3b(3)	87	Fiber crown or back splice	2-13	46
Natural anchors	4-2	85	Fiber eye or side splice	2-11	46
Needle beam scaffolds	6-5c	119	Fiber, kinds	1-3	3
Operating:			Fiber ladder with fiber rope		
Boom derrick	5-4c	112	rungs	2-27c	59
Derrick, stiff leg	5-5a	112	Fiber ladder with wood		
Gin pole	5-1c	103	rungs	2-27d	59
Shears guys	5-3c	109	Fiber long splice	2-12	46
Overhand knot	2-2a	17	Fiber short splice	2-10	46
Overhand turn or loop	2-1a(9)	17	Knots at the end of	2-2	17
Pallets	3-8	67	Knots for joining	2-3	21
Patented scaffold	6-5d	119	Knots for wire	2-8	84
Picket:			Ladder	2-27	59
Holdfast	4-3b	86	Manila slings safe working		
Holdfast in loamy soil	Table 4-1	87	loads	Table 3-8	69
Holdfast, steel	4-3b(4)	87	Properties of manila and		
Wooden multiple	4-3b(3)	87	sisal	Table 1-1	5
Wooden single	4-3b(2)	87	Round strand Lang lay	2-18b	50
Pipe rungs, ladder	2-27a	59	Round strand regular lay	2-18a	49
Plank scaffold	6-5a	119	Use of	2-26	59
Plank scaffold, single	6-5a(1)	119	Whipping ends of	2-1b	17
Plate, bearing	4-5	97	Wire breaking strength	Table 1-2	10
Plate; bearing design	4-5a	97	Wire eye splice	2-17	48
Platform scaffold	6-5(a)(2)	119	Wire ladder	2-27a, b	59
Pole derrick ("Dutchman")	5-6a	113	Wire long splice	2-18	49
Pole, gin	5-1	101	Wire safety factors	Table 1-3	11
Poured basket socket	2-24a	56	Wire slings safe working		
Power source for hoisting	3-13e	81	loads	Table 3-5	70
Procedure:			Wire short splice	2-16	48
Boom derrick rigging	5-4a	110	Round turn	2-1a(8)	17
Inspection	1-14b	16	Round turn and two half hitches	2-5c	24
Tripod rigging	5-2a	105	Running bowline	2-4c	22
Properties of sisal and manila			Running end of rope	2-1a(3)	17
rope	Table 1-1	5	Scaffold:		
Pushup ladder	6-1	117	Built-up	6-5d	119
Ratio, deadman length-to-			Hitch	2-5i	30
diameter	4-3d(5)	93	Independent	6-5d	119
Ratchet lever jacks	5-10b(1)	115	Needle beam	5-5c	119
Rectangular timber deadman	4-4b	93	Planks	6-5	119
Reeving blocks	3-13a(2)	75	Platform	6-5a(2)	119
References	App A	125	Single plank	6-5a(1)	119
Regular lay in wire rope	1-10b(1)	8	Suspended	6-5b	119
Renewing fiber rope strands	2-14	46	Swinging	6-5a	119
Reverse lay	1-10b(3)	9	Screw jacks	5-10b(3)	115
Reversing ends of wire rope	1-12c	12	Screw-pin shackles, safe loads	App B-5	128
Rigging:			Seizing wire rope	1-13d	12
Boom derrick	5-4a	110	Shears:		
Gin pole	5-1a	101	Erecting	5-3b	108
Shears	5-3a	107	Lashing	2-7b	108
Tripod	5-2a	105	Operating	5-3c	109
			Rigging	5-3a	107

	Paragraph	Page		Paragraph	Page
Sheaves and drums	1-13g	14	Steel beam deadman	4-3d	90
Sheaves and drums tread diameter	Table 14	14	Steel picket holdfast	4-3b(4)	87
Sheepshank	2-5n	30	Stiff-leg derrick	5-5	112
Short splice:			Storage:		
Fiber rope	2-10	46	Fiber rope	1-6	5
Wire rope	2-16	48	Wire rope	1-12d	12
Simple tackle systems	3-13b	75	Straight ladder	6-3	118
Single wooden picket	4-3b(2)	86	Strand combinations	1-10a	7
Single plank scaffold	6-5a(1)	119	Strength:		
Single sheet bend	2-3b	21	Chains	3-2	63
Single slings	3-7b	66	Fiber rope	1-5c,	5
Sisal	1-3b	3	Table 1-1		
Size:			Hooks	3-4a	64
Fiber rope	1-5a	4	Wire rope	1-11c,	10
Wire rope	1-5a, 1-11a	4, 10	Table 1-2		
Skids	5-8	113	Stress:		
Slings:			Guys of gin poles	App B-6	129
Barrel	3-7a	66	Guylines	4-8	98
Characteristics	3-6	65	Slings	3-10	68
Combination	3-7c	67	Spars of gin poles	App B-6	129
Cushioning	3-11	70	Suspended scaffolds	6-5b	119
Endless	3-7a	66	Swinging scaffolds	6-5b	119
Inspection	3-11	70	Tackle system:		
Safe working loads for chain	Table 3-4	70	Compound	3-13c	76
Safe working loads for manila rope	Table 3-3	69	Simple	3-13b	75
Safe working loads for wire	Table 3-5	70	Blocks, recommended sizes	App B-3	127
Single	3-7b	66	Telegraph hitch	2-5h	30
Spreaders	3-9	67	Tension	4-8	98
Stresses	3-10	68	Thimble:		
Tension	3-10	68	For fiber rope	2-11	46
Socket:			For wire rope	2-17	48
Basket	2-24	56	Timber cribbing	5-10	114
Dry method	2-24b	57	Timber deadman	4-4b	93
Poured method	2-24a	56	Timber hitch	2-5d	25
Wedge	2-23	55	Timber hitch and half hitch	2-5e	25
Source of power, hoisting	3-13e	81	Tools, splicing	2-15	46
Spanish bowline	2-4e	22	Tripod:		
Spanish windlass	3-16	84	Advantages	5-2	105
Speir knot	2-4g	23	Erecting	5-2b, c	106
Splice:			Lashings	5-2a(1)	105
Back	2-13	46	Rigging	5-2a	105
Crown	2-13	46	Twisting of ropes	3-13a(3)	75
Eye	2-11, 2-17	46, 48	Twisting of tackle system	3-13a(3)	75
Length of	2-9	46	Two half hitches	2-5b	24
Long fiber rope	2-12	46	Underhand turn or loop	2-1a(10)	17
Long wire rope	2-18	49	Unreeling fiber rope	1-7	6
Making	2-9	46	Unreeling wire rope	1-13c	12
Short fiber rope	2-10	46	Use of attachments	2-19	53
Short wire rope	2-16	48	Using nomograph to design		
Side	2-11	46	dadman	4-4	93
Thimble for	2-17	48	Wall knot	2-2c	20
Types	2-9	46	Wedge socket	2-23	55
Spreaders	3-9	67	Weight:		
Spooling wire rope	1-13g(3)	16	Fiber rope	1-5b,	5
Square knot	2-3a	21	Table 1-1		
Stanchion	2-25	57	Wire rope	1-11b,	10
Standing part	2-1a(4)	17	Table 1-2		
Steamboat ratchets	5-10b(2)	115	Welding wire rope	1-13e	13

	Paragraph	Page
Whipping ends of rope	2-1b	17
Winches	3-15	82
Winding wire rope	1-13g(3)	16
Windlass, Spanish	3-16	84
Wire:		
Binding	1-13d	12
Breaking strength	Table 1-2	10
Care	1-12	11
Characteristics	1-11	10
Clamps	2-22	55
Classification	1-10	7
Cleaning	1-12b	12
Clips	2-21	54
Coiling	1-13b	12
Core	1-9	7
Cutting	1-13f	13
End fittings	2-20	54
Eye splice	2-17	48
Fabrication	1-9	7
Failures	1-14c	16
Handling	1-13	12
Inspection	1-14	16

	Paragraph	Page
Kinking	1-13a	12
Knots for	2-8	34
Ladder with pipe rungs	2-27a	59
Ladder with wire rungs	2-27b	59
Lay	1-10b	8
Long splice	2-18	49
Lubrication	1-12a	11
Reversing ends	1-12c	12
Rope failures	1-14c	16
Safety factors	Table 1-3	11
Seizing	1-13d	12
Size	1-11	10
Splicing	2-9	46
Storage	1-12d	12
Strand combinations	1-10a	7
Strength	1-11c	10
Unreeling	1-13c	12
Weight	1-11b	10
Welding	1-13e	13
Wooden picket, single	4-3b(2)	86
Wooden pickets, multiple	4-3b(3)	87